
APPLICATION RESULTS




COMPOUND IDENTIFICATION

Compound Name

DL-Homophenylalanine



CHROMATOGRAM



ANALYTICAL REPORT

| Column Trade Name Column Size (Particle Size) | CROWNPAK [®] CR-I(+) 3 x 150 mm (5 μm) | |
|--|--|--|
| Mobile Phase Composition | acetonitrile / ethanol / water / trifluoroacetic acid = 80 / 15 / 5 / 0.5 | |
| Chromatographic Mode | HILIC | |

| Flow rate (mL/min) | 0.4 | | Temperature (℃) | 3 | 0 |
|-----------------------|-------|----|----------------------|-------|------------|
| Injection Volume (µL) | | | Sample Concentration | n | |
| Detection | LC-MS | | | - | |
| Elution Order | | | | | |
| No. F | t | К' | Alpha | Value | Resolution |
| 1 1. | 8 | | 1 - 2 | | 15.72 |
| 2 6. | 0 | | | | |

Comment

This data was provided by Professor Fukusaki of Osaka University.

References ;

Novel high-throughput and widely-targeted liquid chromatography-time of flight mass spectrometry method for d-amino acids in foods

Yutaka Konya, Moyu Taniguchi, Eiichiro Fukusaki

Volume 123, Issue 1, January 2017, Pages 126-133